

A large solar storm could knock out the power grid and the internet. An electrical engineer explains how

March 21 2022, by David Wallace



Credit: Pixabay/CC0 Public Domain

On Sept. 1 and 2, 1859, telegraph systems around the world failed catastrophically. The operators of the telegraphs reported receiving



electrical shocks, telegraph paper catching fire, and being able to operate equipment with batteries disconnected. During the evenings, the aurora borealis, more commonly known as the northern lights, could be seen as far south as Colombia. Typically, these lights are only visible at higher latitudes, in northern Canada, Scandinavia and Siberia.

What the world experienced that day, now known as the <u>Carrington</u> <u>Event</u>, was a massive geomagnetic storm. These storms occur when a large bubble of superheated gas called plasma is ejected from the surface of the sun and hits the Earth. This bubble is known as a coronal mass ejection.

The plasma of a <u>coronal mass ejection</u> consists of a cloud of protons and electrons, which are electrically charged particles. When these particles reach the Earth, they interact with the magnetic field that surrounds the planet. This interaction causes the <u>magnetic field</u> to distort and weaken, which in turn leads to the strange behavior of the <u>aurora borealis</u> and other natural phenomena. As an <u>electrical engineer</u> who specializes in the <u>power grid</u>, I study how <u>geomagnetic storms</u> also threaten to cause power and <u>internet outages</u> and how to protect against that.

Geomagnetic storms

The Carrington Event of 1859 is the largest recorded account of a geomagnetic storm, but it is not an isolated event.

Geomagnetic storms have been recorded since the early 19th century, and scientific data from Antarctic ice core samples has shown evidence of an even more massive geomagnetic storm that <u>occurred around A.D.</u> 774, now known as the Miyake Event. That <u>solar flare</u> produced the largest and fastest rise in carbon-14 ever recorded. Geomagnetic storms trigger high amounts of cosmic rays in Earth's upper atmosphere, which in turn produce <u>carbon-14</u>, a radioactive isotope of carbon.



A geomagnetic storm 60% smaller than the Miyake Event <u>occurred</u> <u>around A.D. 993</u>. Ice core samples have shown evidence that large-scale geomagnetic storms with similar intensities as the Miyake and Carrington events occur at an average rate of once every 500 years.

Nowadays the National Oceanic and Atmospheric Administration uses the <u>Geomagnetic Storms scale</u> to measure the strength of these solar eruptions. The "G scale" has a rating from 1 to 5 with G1 being minor and G5 being extreme. The Carrington Event would have been rated G5.

It gets even scarier when you compare the Carrington Event with the Miyake Event. Scientist were able to estimate the strength of the Carrington Event <u>based on the fluctuations of Earth's magnetic field</u> as recorded by observatories at the time. There was no way to measure the magnetic fluctuation of the Miyake event. Instead, scientists measured the increase in carbon-14 in tree rings from that time period. The Miyake Event produced a <u>12% increase in carbon-14</u>. By comparison, the Carrington Event produced less than 1% increase in Carbon-14, so the Miyake Event likely dwarfed the G5 Carrington Event.

Knocking out power

Today, a geomagnetic storm of the same intensity as the Carrington Event would affect far more than telegraph wires and could be catastrophic. With the ever-growing dependency on electricity and emerging technology, any disruption could lead to trillions of dollars of monetary loss and risk to life dependent on the systems. The storm would affect a majority of the electrical systems that people use every day.

Geomagnetic storms generate induced currents, which flow through the <u>electrical grid</u>. The geomagnetically <u>induced currents</u>, which can be in excess of 100 amperes, flow into the electrical components connected to



the grid, such as transformers, relays and sensors. One hundred amperes is equivalent to the electrical service provided to many households. Currents this size can cause internal damage in the components, leading to large scale power outages.

A geomagnetic storm three times smaller than the Carrington Event occurred in Quebec, Canada, in March 1989. The storm <u>caused the Hydro-Quebec electrical grid to collapse</u>. During the storm, the high magnetically induced currents damaged a transformer in New Jersey and tripped the grid's circuit breakers. In this case, the outage led to <u>five million people being without power for nine hours</u>.

Breaking connections

In addition to electrical failures, communications would be disrupted on a worldwide scale. Internet service providers could go down, which in turn would take out the ability of different systems to communicate with each other. High-frequency communication systems such as ground-to-air, shortwave and ship-to-shore radio would be disrupted. Satellites in orbit around the Earth could be damaged by induced currents from the geomagnetic storm burning out their circuit boards. This would lead to disruptions in satellite-based telephone, internet, radio and television.

Also, as geomagnetic storms hit the Earth, the increase in solar activity causes the atmosphere to expand outward. This expansion changes the density of the atmosphere where satellites are orbiting. Higher density atmosphere creates drag on a satellite, which slows it down. And if it isn't maneuvered to a higher orbit, it can fall back to Earth.

One other area of disruption that would potentially affect everyday life is navigation systems. Virtually every mode of transportation, from cars to airplanes, use GPS for navigation and tracking. Even handheld devices such as cell phones, smart watches and tracking tags rely on GPS signals



sent from satellites. Military systems are heavily dependent on GPS for coordination. Other military detection systems such as over-the-horizon radar and submarine detection systems could be disrupted, which would hamper national defense.

In terms of the internet, a geomagnetic storm on the scale of the Carrington Event could <u>produce geomagnetically induced currents in the submarine and terrestrial cables</u> that form the backbone of the internet as well as the data centers that store and process everything from email and text messages to <u>scientific data</u> sets and artificial intelligence tools. This would potentially disrupt the entire network and prevent the servers from connecting to each other.

Just a matter of time

It is only a matter of time before the Earth is hit by another geomagnetic storm. A Carrington Event-size storm would be extremely damaging to the electrical and communication systems worldwide with outages lasting into the weeks. If the storm is the size of the Miyake Event, the results would be catastrophic for the world with potential outages lasting months if not longer. Even with space weather warnings from NOAA's Space Weather Prediction Center, the world would have only a few minutes to a few hours notice.

I believe it is critical to continue researching ways to protect electrical systems against the effects of geomagnetic storms, for example by installing devices that can shield vulnerable equipment like transformers and by developing strategies for adjusting grid loads when solar storms are about to hit. In short, it's important to work now to minimize the disruptions from the next Carrington Event.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.



Provided by The Conversation

Citation: A large solar storm could knock out the power grid and the internet. An electrical engineer explains how (2022, March 21) retrieved 18 April 2024 from https://techxplore.com/news/2022-03-large-solar-storm-power-grid.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.