

Engineers create artificial skin that 'feels' temperature changes

30 January 2017



This thin pectin film is a strong temperature sensor.
Credit: Di Giacomo et al., *Sci. Robot.* 2, eaai9251 (2017)

A team of engineers and scientists at Caltech and ETH Zurich have developed an artificial skin capable of detecting temperature changes using a mechanism similar to the one used by the organ that allows pit vipers to sense their prey.

The material could be grafted onto prosthetic limbs to restore [temperature](#) sensing in amputees. It could also be applied to first-aid bandages to alert health professionals of a temperature increase—a sign of infection—in wounds.


A paper about the new material will be published in *Science Robotics* on February 1.

While fabricating synthetic woods in a petri dish, a team led by Caltech's Chiara Daraio created a material that exhibited an electrical response to temperature changes in the lab. It turned out that the component responsible for the [temperature sensitivity](#) was pectin, a long-chain molecule present in [plant cell walls](#).

"Pectin is widely used in the food industry as a jellifying agent; it's what you use to make jam. So

it's easy to obtain and also very cheap," says Daraio, professor of mechanical engineering and applied physics in the Division of Engineering and Applied Science.

Intrigued, the team shifted its attention to pectin and ultimately created a thin, transparent flexible film of pectin and water, which can be as little as 20 micrometers thick (equivalent to the diameter of a human hair). Pectin molecules in the film have a weakly bonded double-strand structure that contains [calcium ions](#). As temperature increases, these bonds break down and the double strands "unzip," releasing the positively charged calcium ions.



The pectin film was integrated into a synthetic-skin-like material. This square patch of artificial skin was able to sense temperature variations across the pixelated matrix.
Credit: Di Giacomo et al., *Sci. Robot.* 2, eaai9251 (2017)

Either the increased concentration of free calcium ions or their increased mobility (likely both, the researchers speculate) results in a decrease in the electrical resistance throughout the material, which

can be detected with a multimeter connected to electrodes embedded in the film.

The film senses temperature using a mechanism similar—but not identical—to the pit organs in vipers, which allow the snakes to sense warm prey in the dark by detecting radiated heat. In those organs, ion channels in the cell membrane of sensory nerve fibers expand as temperature increases. This dilation allows calcium ions to flow, triggering electrical impulses.

Existing electronic skins can sense [temperature changes](#) of less than a tenth of a degree Celsius across a 5-degree temperature range. The new skin can sense changes that are an order of magnitude smaller and have a responsivity that is two orders of magnitude larger than those of other electronic skins over a 45-degree temperature range.

degrees Fahrenheit), which is useful for robotics and biomedical applications. Next, Daraio's team would like to boost that up to 90 degrees Celsius (194 degrees Fahrenheit). This would make pectin sensors useful for industrial applications, such as thermal sensors in consumer electronics or robotic skins to augment human-robot interactions. To do so, they will need to change the fabrication process they now use to create the material, as that process leads to the presence of water—which tends to bubble or evaporate at high temperatures.

More information: "Biomimetic temperature-sensing layer for artificial skins," *Science Robotics*, robotics.sciencemag.org/lookup.../scirobotics.aai9251 , On Arxiv: arxiv.org/abs/1512.01161

Provided by California Institute of Technology



A teddy bear warmed up to 37 degrees Celsius (98.6 degrees Fahrenheit) was placed some distances away from the pectin film, which could sense it at up to one meter away. Credit: Di Giacomo et al., *Sci. Robot.* 2, eaai9251 (2017)

So far, the skin is capable of detecting these tiny changes across a range of temperatures roughly between 5 to 50 degrees Celsius (about 41 to 158

APA citation: Engineers create artificial skin that 'feels' temperature changes (2017, January 30)
retrieved 25 October 2020 from <https://techxplore.com/news/2017-01-artificial-skin-temperature.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.