


# Open-source, low-cost, quadruped robot makes sophisticated robotics available to all

16 June 2020



The Solo 8 robot demonstrates a wide range of motions, making the open-source project a lower cost option for developers. Credit: NYU Tandon, The Max Planck Institute for Intelligent Systems.

Robots capable of the sophisticated motions that define advanced physical actions like walking, jumping, and navigating terrain can cost \$50,000 or more, making real-world experimentation prohibitively expensive for many.

Now, a collaborative team at the NYU Tandon School of Engineering and the Max Planck Institute for Intelligent Systems (MPI-IS) in Tübingen and Stuttgart, Germany, has designed a relatively low-cost, easy-and-fast-to-assemble quadruped robot called "Solo 8" that can be upgraded and modified, opening the door to sophisticated research and development to teams on limited budgets, including those at startups, smaller labs, or teaching institutions.

The researchers' work, "An Open Torque-Controlled Modular Robot Architecture for Legged Locomotion Research," accepted for publication in *Robotics and Automation Letters*, will be presented later this month at ICRA, the International

Conference on Robotics and Automation, one of the world's leading robotic conferences, to be held virtually.

The team, led by Ludovic Righetti, associate professor of electrical and computer engineering and mechanical and aerospace engineering at NYU Tandon, with collaborators at the Machines in Motion Laboratory at NYU Tandon and research groups at MPI-IS, designed the device with an eye to making [robot research](#) and pedagogy more accessible to a broader range of institutions and labs and—through the use of the same open-source platform—allow researchers to compile comparative data—a critical step towards rapid progress in robotics.

Solo 8's functionality, including torque-controlled motors and actuated joints, allows it to behave like far more expensive robots: it can, for example, perform jumping actions, walk in multiple configurations and directions, and recover orientation, posture, and stability after being overturned. Additionally, all the components of Solo 8 can be either 3-D-printed or bought in a shop, and the construction files are freely available online under the BSD 3-clause license, enabling other scientists to leverage the modular set-up when prototyping and developing their own technology.

The robot makes possible research in such areas as:

- Exploration of animal-based limb movement and movement over laboratory surfaces, gravel, soil, sand, mud, and other such terrains
- Reinforcement learning for complex and dynamic behaviors, including those that push performance to stress limits that would be too risky to attempt with expensive platforms
- Very dynamic locomotion (including parkour-style behaviors), which very few robots can

perform

- Manipulation of the environment (such as opening doors or pushing buttons)
- Integration of robots with advanced communications technology (The team is conducting NSF-funded research with NYU WIRELESS on control for Solo through 5G wireless)

Developed under the aegis of the Open Dynamic Robot Initiative, the project was launched in 2016 by Righetti and MPI-IS investigators Felix Grimminger, a mechatronics engineer, and Alexander Badri-Spröwitz, leader of the Dynamic Locomotion research group. It was originally funded by Righetti's ERC Starting Grant and then by several MPI-IS' grassroots projects and a U.S. National Science Foundation grant.

### **Step by step, the four-legged robot is going places**

"Already many universities have approached us, and wish to make a copy of our robot and use it as a research platform," said Righetti, a research group leader at MPI-IS in addition to his duties at Tandon. He explained that the concept was recently used by the Empirical Inference Department at the MPI-IS to build robotic fingers that can manipulate objects.

"Our robot platform is a great base to quickly prototype and build high-performance hardware," he continued. "In return we benefit, because other researchers can contribute to the project; for example colleagues at the LAAS-CNRS in France have developed an electronic board to help communicate with the robot over WiFi. Also, complex control and learning algorithms can be rapidly tested on the platform, decreasing the time from idea to experimental validation. It greatly simplifies our research, and our open-source approach allows us to compare algorithms with other laboratories. In my lab here in New York, we have developed very efficient motion optimization algorithms, but testing them on a complex, heavy robot can easily take half a year of work for several researchers, while this can be done more easily with Solo. That was a big deal for us."

### **No need to reinvent the wheel**

"For a research group to develop such a robot themselves, it takes easily four years of work," said Badri-Spröwitz. "Additionally, you need a wide range of expertise. Our platform is the combined knowledge of several teams. Now any lab worldwide can go online, download the files and print the parts, and buy the remaining components from the catalog. And everybody can add extra features, within a few extra weeks. Done—you've got yourself a world-class robot."

He added that with an estimated price of a few thousand Euros, the robot, homemade and easy to tweak to meet individual research goals, is more accessible to greater numbers of researchers and instructors than a store-bought legged robot.

"Solo has some novel capabilities that we are interested to explore in the future," said Grimminger. "It has an extensive range of motion, for example. When the robot falls on its back, it can configure the legs the other way and just stand up. Or it can jump up to reach 65 cm from a standing height of 24 cm."

Thanks to torque-controlled motors, the robot achieves a spring-like behavior, which perform like muscles and elastic tendons in animal legs.

"Note that the robot uses virtual springs, not mechanical springs. And as virtual springs, they can be programmed. You can, for instance, adjust the spring stiffness from soft to hard, which is interesting because we see variable stiffness in humans and animals, and with adjusted stiffness the robot achieves adaptive and robust locomotion behavior," Badri-Spröwitz added.

Solo 8 weighs just over 2 kilograms, providing a very high power to weight ratio. Most quadruped robots are significantly heavier and therefore more dangerous and harder to handle in a research environment. With a low weight, it now becomes easier and safer for students to handle the robot, which can even be carried in a backpack to be transported home or to a conference.

The robot carries the number eight in its name as

an indicator of its eight actuated joints: each robotic leg can change its angle and length. A new version was recently finished, however, and first tests have been conducted with 12 degrees of freedom, three per leg. The new [robot](#) can now also step sideways.

"Because of the additional degrees of freedom it will be a lot more versatile and will be able display more interesting and complex behaviors," said Badri- Spröwitz.

**More information:** Felix Grimmering et al. An Open Torque-Controlled Modular Robot Architecture for Legged Locomotion Research. arXiv:1910.00093 [cs.RO]. [arxiv.org/abs/1910.00093](https://arxiv.org/abs/1910.00093)

Provided by NYU Tandon School of Engineering

APA citation: Open-source, low-cost, quadruped robot makes sophisticated robotics available to all (2020, June 16) retrieved 30 June 2022 from <https://techxplore.com/news/2020-06-open-source-low-cost-quadruped-robot-sophisticated.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*