

# New landmine detection method to reduce false alarm rates

August 18 2020

---



Credit: The Army Research Laboratory

Landmines pose a serious threat in conflict areas, yet modern detection systems struggle to discriminate between explosives and clutter. A project funded by the Army developed a new method for landmine

identification that will greatly reduce false alarm rates.

Fewer false alarms will significantly reduce the cost of humanitarian landmine clearance operations and provide greater road mobility by avoiding unnecessary route detours. With this new technology, landmines can be detected without digging.

Vadum, Inc., North Carolina State University, the Georgia Institute of Technology and the Army Research Office, an element of the U.S. Army Combat Capabilities Development Command's Army Research Laboratory, collaborated to develop what's known as the Vibration-ENhanced Underground Sensing system, or VENUS.

"New concepts are rare in the area of landmine detection," said Dr. James Harvey, program manager, ARO. "This advance has the potential to be a game changer."

The Night Vision and Electronic Sensors Directorate of the U.S. Army CCDC C5ISR Center supported the research as a part of an Army Small Business Technology Transfer award managed by ARO.

Most conventional landmine detectors are based on detecting the electromagnetic signature of the mine itself, which can easily be confused with other buried metal objects or wet or magnetic soil patches.



A new method for landmine identification, funded by a U.S. Army small business tech transfer program, could greatly reduce false alarm rates. Researchers demonstrate a VS-50 antipersonnel landmine being tested by the system. Credit: US Army


With this new technology, published in the proceedings of the 2020 SPIE Defense & Commercial Sensing Conference, the small metal parts inside the landmine are stimulated to vibrate using a pulsed [magnetic field](#).

Most other buried objects don't respond to the magnetic pulse and those that do have very different vibrational characteristics. The vibrations are detected by a unique high dynamic range vibrometer that can distinguish closely-spaced low-frequency vibrations.

"This new capability resulted from combining exciting results from

several previous ambitious research projects and is an outstanding example of the transition from university basic research to new military and commercial technology capabilities," said Professor Michael Steer, a NC State research partner. "The mathematical algorithms behind the detection depend on understanding the details of the interaction of magnetic fields, radar pulses, and vibrating components within the landmine as well as with the properties of various soil and clutter objects. Advancing university physical models and analysis continue to support the improvement of the detection algorithms."

The Army awarded the research team an additional two-year Phase II STTR contract to mature its unique technology.



X-ray imaging of the VS-50 antipersonnel landmine shows the unique metal features inside Vibration-ENhanced Underground Sensing system, VENUS, that discriminates between explosives and clutter. Credit: US Army



As part of that award, the research team will work to miniature and ruggedize the detection device for reliable outdoor testing at an Army range. The researchers also will collect data from real landmines in a variety of soil conditions and demonstrate the performance of the technology in demanding and stressing field conditions.

"Because conventional metal detectors and ground penetrating radar rely on similar same fields, it should eventually be possible to upgrade conventional systems with VENUS technology to maximize detection capability," said Dr. Josh Wetherington, principal Vadum researcher.

Provided by The Army Research Laboratory

Citation: New landmine detection method to reduce false alarm rates (2020, August 18) retrieved 25 April 2024 from <https://techxplore.com/news/2020-08-landmine-method-false-alarm.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--